



Amendments to the Claims

1. (Currently Amended) A compound having a structural Formula I,



or and pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof, wherein:



E is selected from the group consisting of: O, S and/or NR¹⁴;

W is selected from the group consisting of: R⁴ R⁵, hydrogen, C₁-C₆ alkyl, (CH₂)_nC₃-C₆ cycloalkyl, haloalkyl and/or acyl;

Q is: -C(O)OR⁶ or R^{6A};

X is selected from the group consisting of: a bond, CH₂, O, S and/or S[O]_p;

Y is selected from the group consisting of: a bond, S, CH₂ and/or O;

- Z is: benzothiophene: a) aliphatic group;
 b) aryl;
 c) a 5 to 10 membered heteroaryl wherein the heteroaryl containing at least one heteroatom selected from N, O or S;
 d) bi-aryl, wherein bi-aryl being defined as aryl substituted with another aryl or aryl substituted with heteroaryl.

e) bi-heteroaryl, wherein bi-heteroaryl being defined as heteroaryl substituted with another heteroaryl, or heteroaryl substituted with aryl, and

f) heterocyclyl;

wherein the benzothiophenealiphatic group, aryl, heteroaryl, bi-aryl, bi-heteroaryl and heterocyclyl being is optionally substituted with one or more groups independently selected from R¹⁵;

m and n' are each independently selected from the group consisting of: 0, 1, 2, 3 and/or 4;

n is selected from the group consisting of: 0, 1, 2 and/or 3;

p is: 1 or 2;

r is selected from the group consisting of: 1, 2, 3 and/or 4;

v is: 1 or 2;

R¹ is selected from the group consisting of: hydrogen, wherein when Z is phenyl or naphthyl and R² is H, R³ is not H,

haloalkyl,

C₁-C₆ alkyl,

C₁-C₆ alkyl-C₁-C₆ alkoxy,

C₁-C₆ alkyl-aryl,

C₂-C₆ alkenyl,

C₂-C₆ alkynyl,

(CH₂)_n-C₃-C₆ cycloalkyl,

C₁-C₆ alkoxy,

aryl, and/or

R¹ and R² together being a 5- to 8-membered heterocycl ring; and

wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted with one or more groups independently selected from R¹⁵;

R^{1a} and R^{1b} are each independently selected from the group consisting of:

hydrogen,

C₁-C₆ alkyl, and/or

R¹ and R^{1a}, R¹ and R^{1b}, R² and R^{1a}, R² and R^{1b} or R^{1a} and R^{1b} together being a 3- to 6-membered heterocycll or carbocycll ring wherein where at least one of R^{1a} and R^{1b} is not hydrogen;

R² is selected from the group consisting of—hydrogen,

haloalkyl,

C₁-C₆ alkyl,

C₁-C₆ alkyl-C₁-C₆ alkoxy,

C₁-C₆ alkyl-aryl,

C₂-C₆ alketyl,

C₂-C₆ alkynyl,

(CH₂)_nC₃-C₆ cycloalkyl,

C₁-C₆ alkoxy,

aryl, and/or

R¹ and R² together being a 5- to 8-membered heterocycll ring; and

wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted with one or more groups independently selected from R¹⁵;

R^{2a} is selected from the group consisting of: hydrogen, halo, or C₁-C₆ alkyl and wherein R² and R^{2a} together being a 3- to 8-membered ring; and wherein alkyl being optionally substituted with one or more groups independently selected from R¹⁵;

R³ is selected from the group consisting of:—hydrogen,

halo,

cyano,

haloalkyl,

C₁-C₆ alkyl,

(CH₂)_nC₃-C₆ cycloalkyl,

(C₁-C₄ alkyl)-heterocycll, wherein the heterocycll being optionally substituted with exo, and

(C₁-C₄ alkyl)-NR⁷C(O)_pR⁹; and

wherein alkyl, cycloalkyl and heterocycll being optionally substituted with one or more groups independently selected from R¹⁵;

| R⁴ and R⁵ are each independently selected from the group consisting of:

hydrogen,

halo,

C₁-C₆ alkyl

C₁-C₆ alkoxy;

aryloxy;

N(R⁸)₂,

SR⁸ and/or

R⁴ and R⁵ together being a 3- to 8-membered ring;

| R⁶ is selected from the group consisting of: hydrogen, C₁-C₆ alkyl and/or aminoalkyl;

| R^{6A} is selected from the group consisting of: carboxamide, C₁-C₃ alkyl nitrile, sulfonamide, acylsulfonamide and/or tetrazole;

| R⁷ is selected from the group consisting of: hydrogen and/or C₁-C₆ alkyl;

| R⁸ and R⁹ are each independently selected from the group consisting of:

hydrogen, C₁-C₆ alkyl, aryl, heteroaryl, and/or heterocycl; and

wherein aryl, heteroaryl and heterocycl being optionally substituted with one or more substituents selected from the group consisting of hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, oxo, C₁-C₆ alkyl and C₁-C₆ alkoxy;

| R¹⁴ is selected from the group consisting of: hydrogen, aryl, C₁-C₆ alkyl, and/or C₁-C₆ alkyl-

COOR⁶, and

wherein aryl and alkyl being optionally substituted with one or more groups independently selected from R¹⁵; and

| R¹⁵ is selected from the group consisting of: hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, oxo, C₁-C₆ alkyl, C₁-C₆ alkoxy, (CH₂)_nC₃-C₆ cycloalkyl, N(R⁸)₂, NR⁸S(O)₂R⁹, NR⁸C(O)_pR⁹, C(O)NR⁸R⁹, C(O)_pR⁸, SR⁸, S(O)_pR⁸ and/or S(O)₂NR⁸R⁹.

2. (Currently Amended) The compound Claim 1, wherein X and Y are respectively S and O; S and CH₂; or CH₂ and O.


3. (Canceled)

4. (Canceled)

5. (Currently Amended) The compound of Claim 1Claim 4, wherein R¹ is C₃-C₆ alkyl or (CH₂)_nC₃-C₆ cycloalkyl; R² and R³ are each independently C₁-C₃ alkyl; and r is 1.

6. (Original) The compound Claim 5, wherein X is positioned para to Y; and R³ is positioned ortho to Y.

7. (Currently Amended) A compound having a structural Formula II,



II

or and pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof, wherein:

Q is: -C(O)OR⁶ or R^{6A};

X is selected from the group consisting of: a bond, CH₂, O, S and/or S[O]_p;

Y is selected from the group consisting of: a bond, S, CH₂ and/or O;

Z is benzothiopene: a) aliphatic group.

b) aryl,

c) a 5 to 10 membered heteroaryl wherein the heteroaryl containing at least one heteroatom selected from N, O or S,

d) bi-aryl, wherein bi-aryl being defined as aryl substituted with another aryl or aryl substituted with heteroaryl;

e) bi-heteroaryl, wherein bi-heteroaryl being defined as heteroaryl substituted with another heteroaryl, or heteroaryl substituted with aryl, and

f) heterocyclyl;

wherein the benzothiophenealiphatic group, aryl, heteroaryl, bi-aryl, bi-heteroaryl and heterocyclyl being is optionally substituted with one or more groups independently selected from R¹⁵;

m and n' are each independently selected from the group consisting of: 0, 1, 2, 3 and/or 4;

n is selected from the group consisting of:- 0, 1, 2 and/or 3;

p is: 1 or 2;

r is selected from the group consisting of: 1, 2, 3 and/or 4;

R¹ is selected from the group consisting of:- aryl,

haloalkyl,

C₁-C₆ alkyl,

C₁-C₆ alkyl-C₁-C₆ alkoxy,

C₁-C₆ alkyl-aryl,

C₂-C₆ alkenyl,

C₂-C₆ alkynyl,

(CH₂)_n-C₃-C₆ cycloalkyl,

C₁-C₆ alkoxy and/or

R¹ and R² together being a 5- to 8-membered heterocyclyl ring, and

wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted with one or more groups independently selected from R¹⁵;

R^{1a} and R^{1b} are each independently selected from the group consisting of:

hydrogen,

C₁-C₆ alkyl, and/or

R¹ and R^{1a}, R¹ and R^{1b}, R² and R^{1a}, R² and R^{1b} or R^{1a} and R^{1b} together being a 3- to 6-membered heterocyclyl or carbocyclyl ring where at least one of R^{1a} and R^{1b} is not hydrogen;

| R² is selected from the group consisting of: hydrogen,

haloalkyl,

C₁-C₆ alkyl,

C₁-C₆ alkyl-C₁-C₆ alkoxy,

C₁-C₆ alkyl-aryl,

C₂-C₆ alkenyl,

C₂-C₆ alkynyl,

(CH₂)_nC₃-C₆ cycloalkyl,

C₁-C₆ alkoxy,

aryl, and/or

R¹ and R² together being a 5- to 8-membered heterocyclil ring; and

wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted with one or more groups independently selected from R¹⁵;

| R^{2a} is selected from the group consisting of: hydrogen, halo, or C₁-C₆ alkyl, and wherein R²

and R^{2a} together being a 3- to 8-membered ring; and wherein alkyl being optionally substituted with one or more groups independently selected from R¹⁵;

| R³ is selected from the group consisting of: hydrogen,

halo,

cyano,

haloalkyl,

C₁-C₆ alkyl,

(CH₂)_nC₃-C₆ cycloalkyl,

(C₁-C₄ alkyl)-heterocyclil, and wherein the heterocyclil being optionally substituted with exo-

(C₁-C₄ alkyl)-NR⁷C(O)_pR⁹; and

wherein alkyl, cycloalkyl and heterocyclil being optionally substituted with one or more groups independently selected from R¹⁵;

| R⁴ and R⁵ are each independently selected from the group consisting of:

hydrogen,

halo,
C₁-C₆ alkyl
C₁-C₆ alkoxy;
aryloxy;
N(R⁸)₂,
SR⁸ and/or
R⁴ and R⁵ together being a 3- to 8-membered ring;

| R⁶ is selected from the group consisting of: hydrogen, C₁-C₆ alkyl and/or aminoalkyl;

| R^{6A} is selected from the group consisting of: carboxamide, C₁-C₃ alkyl nitrile, sulfonamide, acylsulfonamide and/or tetrazole;

| R⁷ is selected from the group consisting of: hydrogen and/or C₁-C₆ alkyl;

| R⁸ and R⁹ are each independently selected from the group consisting of:
hydrogen, C₁-C₆ alkyl, aryl, heteroaryl, and/or heterocyclyl; and
wherein aryl, heteroaryl and heterocyclyl being optionally substituted with one or more
substituents selected from the group consisting of hydrogen, nitro, cyano, hydroxyl, halo,
haloalkyl, haloalkyloxy, aryloxy, oxo, C₁-C₆ alkyl and C₁-C₆ alkoxy;

| R¹⁵ is selected from the group consisting of: hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl,
haloalkyloxy, aryloxy, oxo, C₁-C₆ alkyl, C₁-C₆ alkoxy, (CH₂)_nC₃-C₆ cycloalkyl, N(R⁸)₂,
NR⁸S(O)₂R⁹, NR⁸C(O)_pR⁹, C(O)NR⁸R⁹, C(O)_pR⁸, SR⁸, S(O)_pR⁸ and/or S(O)₂NR⁸R⁹.

8. (Currently Amended) The compound of Claim 7, wherein X and Y are
respectively S and O; S and CH₂; or CH₂ and O.


9. (Canceled)

10. (Canceled)

11. (Currently Amended) The compound of Claim 8~~Claim 10~~, wherein R¹ is
C₃-C₆ alkyl or (CH₂)_nC₃-C₆ cycloalkyl; R² and R³ are each independently C₁-C₃ alkyl; and r is 1.

12. (Original) The compound Claim 11, wherein X is positioned para to Y; and R³ is positioned ortho to Y.

13. (Currently Amended) The compound of Claim 7, wherein the compound having a structural Formula III,



or and pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof, wherein:

n is: 1 or 2;

r is: 1, 2, 3, or 4;

X is: S or CH₂;

Y is: CH₂ or O;

Z is: aryl or a 5 to 10 membered heteroaryl, benzothiophene;

wherein aryl and heteroaryl being the benzothiophene is optionally substituted with one or more groups independently selected from R¹⁵;

R¹ and R² are each independently selected from the group consisting of C₁-C₆ alkyl and (CH₂)_nC₃-C₆ cycloalkyl; and


R^{1a} and R^{1b}, R³, R⁴ and R⁵ are each independently selected from the group consisting of hydrogen and C₁-C₆ alkyl.

14. (Canceled)

15. (Canceled)

16. (Cancelled)

17. (Currently Amended) A compound having a structural Formula VI,



or and pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof, wherein:

X is selected from the group consisting of: a bond, CH₂, O, S and/or S[O]_p;

Y is selected from the group consisting of: a bond, S, CH₂ and/or O;

Z is benzothiophene; heteroaryl wherein the heteroaryl containing at least one heteroatom selected from N, O or S, and wherein heteroaryl being optionally the benzothiophene is optionally substituted with one or more groups selected from R¹⁵;

n is: 0, 1, 2 or 3;

n' is: 0, 1, 2, 3 or 4;

p is: 1 or 2;

r is: 1, 2, 3 or 4;

R¹ is selected from the group consisting of: hydrogen,

haloalkyl,

C₁-C₆ alkyl,

C₁-C₆ alkyl-C₁-C₆ alkoxy,

C₁-C₆ alkyl-aryl,

C₂-C₆ alkanyl,

C₂-C₆ alkynyl,

(CH₂)_n-C₃-C₆ cycloalkyl,

C₁-C₆ alkoxy,

aryl, and/or

R¹ and R² together being a 5- to 8-membered heterocyclic ring; and

wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted with one or more groups independently selected from R¹⁵;

| R^{1a} and R^{1b} are each independently selected from the group consisting of:
| hydrogen,
| C₁-C₆ alkyl, and/or
| R¹ and R^{1a}, R¹ and R^{1b}, R² and R^{1a}, R² and R^{1b} or R^{1a} and R^{1b} together being a 3- to 6-membered heterocycll or carbocycll ring; wherein at least one of R^{1a} and R^{1b} is not hydrogen;

| R² is selected from the group consisting of: hydrogen,
| haloalkyl,
| C₁-C₆ alkyl,
| C₁-C₆ alkyl-C₁-C₆ alkoxy,
| C₁-C₆ alkyl-aryl,
| C₂-C₆ alkenyl,
| C₂-C₆ alkynyl,
| (CH₂)_n-C₃-C₆ cycloalkyl,
| C₁-C₆ alkoxy,
| aryl, and/or
| R¹ and R² together being a 5- to 8-membered heterocycll ring; and
| wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted with one or more groups independently selected from R¹⁵;

| R^{2a} is selected from the group consisting of: hydrogen, halo and/or C₁-C₆ alkyl; and wherein R² and R^{2a} together being a 3- to 8-membered ring; and wherein alkyl being optionally substituted with one or more groups independently selected from R¹⁵;

| R³ is selected from the group consisting of: hydrogen,
| halo,
| cyano,
| haloalkyl,
| C₁-C₆ alkyl,
| (CH₂)_n-C₃-C₆ cycloalkyl,

(C₁-C₄ alkyl)-heterocyclyl, and wherein the heterocyclyl being optionally substituted with
oxo;

(C₁-C₄ alkyl)-NR⁷C(O)_pR⁹, and

wherein alkyl, cycloalkyl and heterocyclyl being optionally substituted with one or more groups independently selected from R¹⁵;


| R⁶ is selected from the group consisting of: hydrogen, C₁-C₆ alkyl and/or aminoalkyl;

| R⁷ is selected from the group consisting of: hydrogen and/or C₁-C₆ alkyl;

| R⁸ and R⁹ are each independently selected from the group consisting of:
hydrogen, C₁-C₆ alkyl, aryl, heteroaryl, and/or heterocyclyl; and
wherein aryl, heteroaryl and heterocyclyl being optionally substituted with one or more substituents selected from the group consisting of hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, oxo, C₁-C₆ alkyl and C₁-C₆ alkoxy; and

| R¹⁵ is selected from the group consisting of: hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, oxo, C₁-C₆ alkyl, C₁-C₆ alkoxy, N(R⁸)₂, NR⁸S(O)₂R⁹, NR⁸C(O)_pR⁹, C(O)NR⁸R⁹, C(O)_pR⁸, SR⁸, S(O)_pR⁸ and/or S(O)₂NR⁸R⁹.

18. (Currently Amended) The compound of Claim 17, wherein the compound having a structural Formula VII,



| and pharmaceutically acceptable salts or solvates, hydrates or stereoisomers thereof,
wherein:

q is: 1, 2, 3, or 4;

T is O, NR^{+e} or S;

R^{+e} is hydrogen or $\text{C}_1\text{-C}_6$ alkyl;


R^{10} and R^{11} are each independently selected from the group consisting of:

hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy,

$\text{C}_1\text{-C}_6$ alkyl and $\text{C}_1\text{-C}_6$ alkoxy; and

wherein alkyl, aryloxy, and alkoxy being optionally substituted with one or more groups independently selected from R^{15} .

19. (Currently Amended) The compound of Claim 18, wherein the compound having a structural Formula VIII,



VIII

or pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof, wherein:

q is: 1 or 2;

R^1 is selected from the group consisting of: $\text{C}_3\text{-C}_5$ alky and $(\text{CH}_2)_n\text{C}_3\text{-C}_6$ cycloalkyl;

R^2 and R^3 are each independently: $\text{C}_1\text{-C}_3$ alkyl;


R^{10} is selected from the group consisting of: halo, haloalkyl and $\text{C}_1\text{-C}_3$ alkyl; and

wherein R^{10} being substituted at a position 5, or 6, or both 5 and 6 of benzothiophenyl ring; and

R^{11} is selected from the group consisting of: hydrogen and $\text{C}_1\text{-C}_6$ alkyl.

20. (Original) The compound of Claim 19, wherein R^{10} is Cl, F, Br, CH_3 or CF_3 being substituted at a position 5 of benzothiophenyl ring.


21. (Currently Amended) A compound having a structural Formula IX,



IX

or pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof, wherein:

E is selected from the group consisting of: O, S and/or NR¹⁴;



W is selected from the group consisting of: $\begin{array}{c} \text{Y} \\ \backslash \quad / \\ \text{R}^4 \quad \text{R}^5 \end{array}$, hydrogen, C₁-C₆ alkyl, (CH₂)_nC₃-C₆ cycloalkyl, haloalkyl and/or acyl;

Q is selected from the group consisting of: -C(O)OR⁶ and/or R^{6A};

X is selected from the group consisting of: a bond, C, O, S and/or S[O]_p;

Y is selected from the group consisting of: a bond, S, CH₂ and O;

Z is benzothiopene; and: a) aliphatic group;

b) aryl;

c) a 5 to 10 membered heteroaryl wherein the heteroaryl containing at least one heteroatom selected from N, O or S.

d) bi aryl, wherein biaryl being defined as aryl substituted with another aryl or aryl substituted with heteroaryl;

e) bi heteroaryl, wherein bi heteroaryl being defined as heteroaryl substituted with another heteroaryl, or heteroaryl substituted with aryl; and

f) heterocyclyl;

wherein aliphatic group, aryl, heteroaryl, bi aryl, bi heteroaryl and heterocyclyl being the benzothiophene is optionally substituted with one or more groups independently selected from R¹⁵;

m and n' are each independently: 0, 1, 2, 3 or 4;

n is: 0, 1, 2 or 3;

p is: 1 or 2;

r is: 1, 2, 3 or 4;

v is: 1 or 2;

| R¹ is selected from the group consisting of:—hydrogen,

haloalkyl,

C₁-C₆ alkyl,

C₁-C₆ alkyl-C₁-C₆ alkoxy,

C₁-C₆ alkyl-aryl,

C₂-C₆ alkenyl,

C₂-C₆ alkynyl,

(CH₂)_n·C₃-C₆ cycloalkyl,

C₁-C₆ alkoxy,

aryl, and/or

| R¹ and R² together being a 5- to 8-membered heterocycl ring; and

| wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted
with one or more groups independently selected from R¹⁵;

| R^{1a} and R^{1b} are each independently selected from the group consisting of:

hydrogen,

C₁-C₆ alkyl, and/or

| R¹ and R^{1a}, R¹ and R^{1b}, R² and R^{1a}, R² and R^{1b} or R^{1a} and R^{1b} together being a 3- to 6-membered heterocycl or carbocycl ring wherein at least one of R^{1a} and R^{1b} is not hydrogen;

| R² is selected from the group consisting of: hydrogen,

haloalkyl,

C₁-C₆ alkyl,

C₁-C₆ alkyl-C₁-C₆ alkoxy,

C₁-C₆ alkyl-aryl,

C₂-C₆ alkenyl,

C₂-C₆ alkynyl,

$(CH_2)_nC_3-C_6$ cycloalkyl,

C_1-C_6 alkoxy;

aryl, and/or

R^1 and R^2 together being a 5- to 8-membered heterocycll ring; and wherein alkyl, aryl, alkenyl, alkynyl, cycloalkyl and alkoxy being optionally substituted with one or more groups independently selected from R^{15} ;

R^{2a} is selected from the group consisting of: hydrogen, halo, ~~or~~ C_1-C_6 alkyl ~~and~~ and wherein R^2 and R^{2a} together being a 3- to 8-membered ring; and wherein alkyl being optionally substituted with one or more groups independently selected from R^{15} ;

R^3 is selected from the group consisting of: hydrogen,

halo,

ciano,

haloalkyl,

C_1-C_6 alkyl,

$(CH_2)_nC_3-C_6$ cycloalkyl,

$(C_1-C_4$ alkyl)-heterocycll, ~~wherein the heterocycll being optionally substituted with~~ exo, and

$(C_1-C_4$ alkyl)- $NR^7C(O)_pR^9$; and

wherein alkyl, cycloalkyl and heterocycll being optionally substituted with one or more groups independently selected from R^{15} ;

R^4 and R^5 are each independently selected from the group consisting of:

hydrogen,

halo,

C_1-C_6 alkyl

C_1-C_6 alkoxy;

aryloxy;

$N(R^8)_2$,

SR^8 and/or

R^4 and R^5 together being a 3- to 8-membered ring;

R^6 is selected from the group consisting of: hydrogen, C_1-C_6 alkyl and/or aminoalkyl;

R^{6A} is selected from the group consisting of: carboxamide, C_1-C_3 alkyl nitrile, sulfonamide, acylsulfonamide and/or tetrazole;

R^7 is selected from the group consisting of: hydrogen and/or C_1-C_6 alkyl;


R^8 and R^9 are each independently selected from the group consisting of: hydrogen, C_1-C_6 alkyl, aryl, heteroaryl, and heterocyclyl; and wherein aryl, heteroaryl and heterocyclyl being optionally substituted with one or more substituents selected from the group consisting of hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, oxo, C_1-C_6 alkyl and C_1-C_6 alkoxy;

R^{14} is selected from the group consisting of: hydrogen, aryl, C_1-C_6 alkyl, and C_1-C_6 alkyl-COOR⁶; and

wherein aryl and alkyl being optionally substituted with one or more groups independently selected from R^{15} ; and

R^{15} is selected from the group consisting of: hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, oxo, C_1-C_6 alkyl, C_1-C_6 alkoxy, $(CH_2)_n-C_3-C_6$ cycloalkyl, $N(R^8)_2$, $NR^8S(O)_2R^9$, $NR^8C(O)pR^9$, $C(O)NR^8R^9$, $C(O)pR^8$, SR^8 , $S(O)pR^8$ and/or $S(O)_2NR^8R^9$.

22. (Currently Amended) The compound of Claim 21, wherein the compound having a structural Formula X:



and pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof,


wherein:

n and q are each independently: 1, 2, 3 or 4;

T is: O, NR^{1e} or S;

X is selected from the group consisting of: CH₂, O and S;
 R¹ is selected from the group consisting of: hydrogen, C₁-C₆ alkyl and (CH₂)_nC₃-C₆ cycloalkyl;
 R^{1a}, R^{1b}, R^{1c} and R² are each independently selected from the group consisting of: hydrogen and C₁-C₆ alkyl; and
 R¹⁰ and R¹¹ are each independently selected from the group consisting of:
 hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy,
 C₁-C₆ alkyl and C₁-C₆ alkoxy; and wherein alkyl, alkoxy and aryloxy being optionally substituted with one or more groups selected from R¹⁵.

23. (Currently Amended) The compound of Claim 22, wherein the compound having a structural Formula XI:



and pharmaceutically acceptable salts, solvates, hydrates or stereoisomers thereof, wherein:
 q is 1 or 2;

E is selected from the group consisting of O, S and NR¹⁴;
 R¹, R² and R¹¹ are each independently selected from the group consisting of: C₁-C₄ alkyl;
 R¹⁰ is selected from the group consisting of: Cl, F, Br, CH₃ and CF₃; and wherein R¹⁰ being substituted at a position 5, or 6, or both 5 and 6 of benzothiophenyl ring; and
 R¹⁴ is selected from the group consisting of: hydrogen, C₁-C₆ alkyl and aryl.

24. (Currently Amended) A compound selected from the group consisting of
 No. 1-120 and 121:

No.	Structure	Name
1		3-(4-{2-[{(5-fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)-propylamino}-ethylsulfanyl}-2-methyl-phenyl)-propionic acid

No.	Structure	Name
2		3-(4-{2-[{(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-2-methyl-phenyl)-propionic acid
3		(4-{2-[{(5-Chloro-3-methylbenzofuran-2-sulfonyl)-propyl-amino]-1-methylethoxy}-2-methylphenoxy) acetic acid
4		(4-{2-[{(5-Chloro-3-methylbenzofuran-2-sulfonyl)-propyl-amino]-1-methylethylsulfanyl}-2-methylphenoxy) acetic acid
5		3-(4-{2-[{(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethylsulfanyl}-2-methyl-phenyl)-propionic acid
6		(4-{2-[{(5-Chloro-3-ethylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethylsulfanyl}-2-methylphenoxy)acetic acid







7		4-{2-[(6-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
8		4-{2-[(7-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
9		4-{2-[(4-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
10		4-{2-[(5-Chloro-3-trifluoromethylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
11		4-{2-[(5-Chloro-3-trifluoromethylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethoxy}-2-methyl-phenoxy)-acetic acid
12		2-[4-(3-[[5-(4'-Fluorobiphenyl-4-yl)thiophene-2-sulfonyl]-propylamino)-propylphenoxy]-2-methylpropionic acid
13		2-(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethyl}-phenoxy)-2-methylpropionic acid

14		2-(4-{3-[{(3,5-Dimethylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-propyl}-phenoxy)-2-methyl-propionic acid
15		2-(4-{3-[{(5-Fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-propyl}-phenoxy)-2-methyl-propionic acid
16		2-(4-{3-[{(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-(2,2,2-trifluoroethyl)-amino]-propyl}-phenoxy)-2-methyl-propionic acid
17		2-(4-{2-[{(3-Ethylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethoxy}-3-propyl-phenoxy)-2-methyl-propionic acid
18		2-[4-(1-{[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-methyl}-propoxy)-2-methyl-phenoxy]-2-methyl-propionic acid
19		3-[4-(1-{[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-methyl}-propoxy)-2-methyl-phenyl]-propionic acid

20		[4-(1-{[(5-Fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)-propylamino]-methyl}-propylsulfanyl)-2-methyl-phenoxy]acetic acid
21		[4-(1-{[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propylamino]-methyl}-propylsulfanyl)-2-methyl-phenoxy]acetic acid
22		[4-(1-{[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propylamino]-methyl}-propylsulfanyl)-2-methyl-phenoxy]acetic acid
23		(2 Methyl 4 {2 [(6-phenoxypyridine-3-sulfonyl)propylamino]-ethylsulfanyl}-phenoxy) acetic acid
24		(2 Methyl 4 {2 [(5-methyl-1-phenyl-1H-pyrazole-4-sulfonyl)propylamino]-ethylsulfanyl}-phenoxy) acetic acid
25		(2 Methyl 4 {2 [(4-oxazol-5-ylbenzenesulfonyl)propylamino]-ethylsulfanyl}-phenoxy) acetic acid
26		(2 Methyl 4 {2 [(1-pyrazol-1-ylbenzenesulfonyl)propylamino]-ethylsulfanyl}-phenoxy) acetic acid

27		(2-Methyl-4-(2-(2-naphthalen-1-yl)ethanesulfonyl)propylamino)ethylsulfanyl)phenoxy)acetic acid
28		(2-Methyl-4-(2-(4-trifluoromethylphenyl)ethanesulfonyl)amino)ethylsulfanyl)phenoxy)acetic acid
29		(4-(2-((Biphenyl-3-sulfonyl)propylamino)ethylsulfanyl)-2-methyl phenoxy)acetic acid
30		(4-(2-(2,3-Dihydrobenzo[1,4]dioxine-6-sulfonyl)propylamino)ethylsulfanyl)-2-methyl phenoxy)acetic acid
31		(2-Methyl-4-(2-((5-(2-methylsulfanyl-pyrimidin-4-yl)thiophene-2-sulfonyl)propylamino)ethylsulfanyl)phenoxy)acetic acid
32		(2-Methyl-4-(2-((5-(1-methyl-5-trifluoromethyl-1H-pyrazol-3-yl)thiophene-2-sulfonyl)propylamino)ethylsulfanyl)phenoxy)acetic acid
33		(2-Methyl-4-(2-((5-(1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)thiophene-2-sulfonyl)propylamino)ethylsulfanyl)phenoxy)acetic acid
34		(R)-(2-Methyl-4-{1-methyl-2-[(3-methyl-5-trifluoromethyl-benzo[b]thiophene-2-sulfonyl)-propylamino}ethylsulfanyl)phenoxy)acetic acid








			amino]-ethylsulfanyl}-phenoxy)-acetic acid
35		chiral	(R)-3-(4-{2-[(6-Chloro-5-fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)propylamino]-1-methylethylsulfanyl}-2-methyl-phenyl)-propionic acid
36		chiral	(R)-(4-{2-[(6-Chloro-5-fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)propylamino]-1-methylethylsulfanyl}-2-methyl-phenoxy)-acetic acid
37			(4-{2-[(4-Bromobenzenesulfonyl)propylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
38			(4-{2-[(3,4-Dichlorobenzenesulfonyl)propylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
39			(4-{2-[(4-Isopropylbenzenesulfonyl)propylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
40			(2-Methyl-4-{2-[(4-pentylbenzenesulfonyl)propylamino]-ethylsulfanyl}-phenoxy)-acetic acid
41			(4-{2-[(2-Chloro-4-trifluoromethylbenzenesulfonyl)propylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid

42		(2-Methyl-4-(2-propyl-3-trifluoromethylbenzenesulfonyl)-amino)ethylsulfanyl)phenoxy) acetic acid
43		(4-(2-(4-Bromo-2-methylbenzenesulfonyl)propylamino)ethylsulfanyl)2-methyl phenoxy) acetic acid
44		(4-(2-(3,4-Dibromo-2-methylbenzenesulfonyl)propylamino)ethylsulfanyl)2-methyl phenoxy) acetic acid
45		(2-Methyl-4-(2-propyl-4-propylbenzenesulfonyl)-amino)ethylsulfanyl)phenoxy) acetic acid
46		(4-(2-(2,4-Dichlorobenzenesulfonyl)propylamino)ethylsulfanyl)2-methyl phenoxy) acetic acid
47		(4-(2-(4-Iodo-benzenesulfonyl)propylamino)ethylsulfanyl)2-methyl phenoxy) acetic acid

48		(4-[2-(3-Chloro-4-methylbenzenesulfonyl)propyl amino]-ethylsulfanyl)-2-methyl phenoxy) acetic acid
49		(4-[2-(4-Bromo-2,5-difluorobenzenesulfonyl)propyl amino]-ethylsulfanyl)-2-methyl phenoxy) acetic acid
50		(2-Methyl-4-[1-methyl-2-propyl-(4-trifluoromethylbenzenesulfonyl)amino]-ethylsulfanyl)-phenoxy) acetic acid
51		(4-[2-(3,4-Dichlorobenzenesulfonyl)propyl amino]-methyl-ethylsulfanyl)-2-methyl phenoxy) acetic acid
52		(2-Methyl-4-[2-propyl-(2'-trifluoromethylbiphenyl-4-sulfonyl)amino]-ethylsulfanyl)-phenoxy) acetic acid
53		(2-Methyl-4-[2-propyl-(3'-trifluoromethylbiphenyl-4-sulfonyl)amino]-ethylsulfanyl)-phenoxy) acetic acid
54		(2-Methyl-4-[2-propyl-(4'-trifluoromethylbiphenyl-4-sulfonyl)amino]-ethylsulfanyl)-phenoxy) acetic acid
55		(4-[2-(2'-Fluorobiphenyl-4-sulfonyl)propyl amino]-ethylsulfanyl)-2-methyl phenoxy) acetic acid

56		(4-[2-[(4'-Fluorobiphenyl-4-sulfonyl)propylamino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
57		(2-Methyl-4-[2-[propyl(4'-trifluoromethoxybiphenyl-4-sulfonyl)amino]ethylsulfanyl]-2-methyl phenoxy) acetic acid
58		(4-[2-[(3',4'-Dichlorobiphenyl-4-sulfonyl)propylamino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
59		(4-[2-[(3' Fluorobiphenyl-4-sulfonyl)propylamino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
60		(4-[2-(2-Chlorobiphenyl-4-sulfonyl)propylamino]-ethylsulfanyl)-2-methyl phenoxy) acetic acid
61		(4-[2-[(4'-Methoxybiphenyl-4-sulfonyl)propylamino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
62		(4-[2-[(4'-Methoxybiphenyl-4-sulfonyl)propylamino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
63		(4-[2-[(3' Chloro-4'-fluorobiphenyl-4-sulfonyl)propylamino]ethylsulfanyl]-2-methyl phenoxy) acetic acid

64		(4-[2-[(4-Chloro-3-trifluoromethylbenzenesulfonyl)propyl amino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
65		(2-Methyl-4-[1-methyl-2-[propyl(4-trifluoromethoxybenzenesulfonyl)amino]ethylsulfanyl]-phenoxy) acetic acid
66		(2-Methyl-4-[1-methyl-2-[propyl(4-propylbenzenesulfonyl)amino]ethylsulfanyl]-phenoxy) acetic acid
67		(4-[2-[(4-Chloro-3-trifluoromethylbenzenesulfonyl)propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy) acetic acid
68		(4-[2-[(3-Chloro-4-trifluoromethylbenzenesulfonyl)propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy) acetic acid
69		(4-[2-[(4-Butylbenzenesulfonyl)propyl amino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
70		(4-[2-[(4-Isobutylbenzenesulfonyl)propyl amino]-ethylsulfanyl]-2-methyl phenoxy) acetic acid
71		(4-[2-[(2-Chloro-4-trifluoromethylbenzenesulfonyl)propyl amino]-methyl ethylsulfanyl]-







		2-methyl phenoxy)-acetic acid
72	 <p>chiral</p>	(4-[2-[(4-Bromo-3-chloro-benzenesulfonyl)-propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy)-acetic acid
73	 <p>chiral</p>	(4-[2-[(4-Butyl-3-chloro-benzenesulfonyl)-propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy)-acetic acid
74	 <p>chiral</p>	(4-[2-[(3-Chloro-4-isobutyl-benzenesulfonyl)-propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy)-acetic acid
75	 <p>chiral</p>	(4-[2-[(4-Bromo-benzenesulfonyl)-propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy)-acetic acid
76	 <p>chiral</p>	(4-[2-[(4-Butyl-benzenesulfonyl)-propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy)-acetic acid
77	 <p>chiral</p>	(4-[2-[(2-Chloro-4-fluoro-biphenyl-4-sulfonyl)-propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy) acetic acid
78	 <p>chiral</p>	(4-[2-[(3-Chloro-4-propyl-benzenesulfonyl)-propyl amino]-methyl ethylsulfanyl]-2-methyl phenoxy)-acetic acid






79		(4-{2-[[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-2-propyl-phenoxy)-acetic acid
80		(4-{2-[[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-phenoxy)-acetic acid
81		(4-{2-[[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-2-trifluoromethyl-phenoxy)-acetic acid
82		[2-Methyl-4-(([[propyl(4-trifluoromethoxybenzenesulfonyl)amino]methyl)propylsulfanyl)phenoxy]acetic acid
83		(4-{2-[[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethylsulfanyl}-2-methyl-phenoxy)-acetic acid
84		(4-{2-[[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethylsulfanyl}-2-methyl-phenoxy)-acetic acid
85		(2-Methyl-4-{2-[(3-methyl-5-trifluoromethylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}phenoxy)acetic acid

86		(2-Methyl-4-(2-propyl-(4-trifluoromethylbenzenesulfonyl)amino)ethylsulfanyl)-phenoxy)acetic acid
87		(4-{2-[(4-Ethylbenzenesulfonyl)propyl]amino}ethylsulfanyl)-2-methyl-phenoxy)acetic acid
88		(2-Methyl-4-{2-[(2-methyl-4-trifluoromethoxybenzenesulfonyl)propyl]amino}ethylsulfanyl)-phenoxy)acetic acid
89		(2-Methyl-4-(2-propyl-(4-trifluoromethoxybenzenesulfonyl)amino)ethylsulfanyl)-phenoxy)acetic acid
90		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl]amino}ethylsulfanyl)-2-methyl-phenoxy)acetic acid
91		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-(3-methylbutyl)amino}ethylsulfanyl)-2-methyl-phenoxy)acetic acid

92		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-cyclopropylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
93		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-cyclobutylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
94		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-cyclopropylmethylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
95		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-pentylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
96		(4-{2-[Butyl-(5-chloro-3-methylbenzo[b]thiophene-2-sulfonyl)amino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
97		(4-{2-[(Biphenyl-4-sulfonyl)propylamino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
98		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propylamino]-ethoxy}-2-methyl-phenylsulfanyl)-acetic acid

		acetic acid
99		(4-{3-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-propyl}-2-methyl-phenoxy)-acetic acid
100		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethoxy}-2-methyl-phenoxy)-acetic acid
101		3-(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethoxy}-2-methyl-phenyl)-propionic acid
102		2-(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethoxy}-2-methyl-phenoxy)-2-methyl-propionic acid
103		3-(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethoxy}-2-methoxy-phenyl)-propionic acid
104		(4-{2-[(5-Fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methylethylsulfanyl}-2-methyl-phenoxy)-acetic acid

105		3-(4-{2-[{(5-fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)propylamino}-1-methylethoxy}-2-methylphenyl)-propionic acid
106		(4-{2-[{(5-fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)propylamino}-1-methylethoxy}-2-methylphenoxy)-acetic acid
107		(2-Chloro-4-{2-[{(5-chloro-3-methylbenzo[b]thiophene-2-sulfonyl)propylamino}-ethylsulfanyl}-phenoxy)-acetic acid
108		(4-{2-[{(5-chloro-3-methylbenzo[b]thiophene-2-sulfonyl)propylamino}-ethylsulfanyl}-2-ethylphenoxy)-acetic acid
109		(2-Methyl-4-{2-[(naphthalene-2-sulfonyl)propylamino]-ethylsulfanyl}-phenoxy)-acetic acid
110		(4-{2-[{(5-fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)propylamino}-ethylsulfanyl}-2-methylphenoxy)-acetic acid

111		<p>{3-Chloro-4-(1-[[propyl(4-trifluoromethoxybenzenesulfonyl)amino]methyl]propylsulfanyl)phenyl}-acetic acid</p>
112		<p>Chiral (R)-(3-Chloro-4-{2-[(5-chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-1-methyl-ethylsulfanyl}-phenyl)-acetic acid</p>
113		<p>(3-Chloro-4-{2-[(5-chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-ethylsulfanyl}-phenyl)-acetic acid</p>
114		<p>[4-(1-{{(5-Fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-methyl}-propoxy)-2-methyl-phenoxy]-acetic acid</p>
115		<p>3-[4-(1-{{(5-Fluoro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-methyl}-propoxy)-2-methyl-phenyl]-propionic acid</p>
116		<p>3-(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-butoxy}-2-methyl-phenyl)-propionic acid</p>

117		[4-(1-{[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-methyl}-propoxy)-2-methyl-phenoxy]-acetic acid
118		[4-(1-{[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-methyl}-propoxy)-2-methoxy-phenoxy]-acetic acid
119		(4-{2-[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-phenethyl-amino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid
120		(4-{2-[Benzyl-(5-chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-amino]-ethylsulfanyl}-2-methyl-phenoxy)-acetic acid; and
121		[4-(1-{[(5-Chloro-3-methylbenzo[b]thiophene-2-sulfonyl)-propyl-amino]-methyl}-propylsulfanyl)-2-methyl-phenoxy]-acetic acid

25. (Currently Amended) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and at least one compound of Claim 1 or pharmaceutically acceptable salts, solvates or hydrates thereof.

26. (Cancelled)

27. (Cancelled)

28. (Cancelled)

29. (Cancelled)

30. (Cancelled)

31. (Cancelled)

32. (Cancelled)

33. (Cancelled)

34. (Previously Presented) A method for lowering blood-glucose in a mammal comprising the step of administering an effective amount of at least one compound of Claim 1.

35. (Cancelled)

36. (Cancelled)

37. (Cancelled)

38. (Cancelled)

39. (Cancelled)

40. (Cancelled)